

**Epi Profile**  
**HIV/AIDS cases and rates (per 100,000 population) in SCR, by sex and race/ethnicity, 2004**

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	11	58	a	*	25	a	12	52	a
Black, not Hispanic	5	26	a	*	75	a	8	35	a
Hispanic	*	16	a	0	0	a	*	13	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	19	100	a	*	100	a	23	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in SCR, by sex and age at diagnosis, 2004**

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	5	*	25	*	9
25-34	8	42	*	50	10	43
35-44	6	32	0	0	6	26
45-54	*	16	*	25	*	17
55-64	*	5	0	0	*	4
>=65	0	0	0	0	0	0
Total	19	100	*	100	23	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in SCR, by sex and exposure category, 2004**

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	7	37	a	a	7	30
Injection drug use (IDU)	*	5	0	0	*	4
Male-to-male sex and IDU	*	16	a	a	*	13
Heterosexual contact	*	16	*	25	*	17
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	5	26	*	75	8	35
Total	19	100	*	100	23	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in SCR, by race/ethnicity and exposure category, 2004**

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	*	33	*	25	*	33	0	0	0	0	0	0	7	30
Injection drug use (IDU)	*	8	0	0	0	0	0	0	0	0	0	0	*	4
Male-to-male sex and IDU	*	25	0	0	0	0	0	0	0	0	0	0	*	13
Heterosexual contact	*	8	*	38	0	0	0	0	0	0	0	0	*	17
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	*	25	*	38	*	67	0	0	0	0	0	0	8	35
Total	12	100	8	100	*	100	0	0	0	0	0	0	23	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in SCR, by sex and tuberculosis comorbidity, 2004**

<b>Tuberculosis diagnosis</b>	<b>Males</b>		<b>Females</b>		<b>Total</b>	
	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>
Not diagnosed	19	100	*	100	23	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	19	100	*	100	23	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

### Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in SCR, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	67	a	0	0	a	*	40	a
Black, not Hispanic	*	33	a	*	50	a	*	40	a
Hispanic	0	0	a	*	50	a	*	20	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	*	100	a	*	100	a	5	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in SCR, by year of diagnosis and sex**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	16	12	14	8	19	273
Females	9	*	6	9	*	100
Total	25	16	20	17	23	373

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV/AIDS cases among persons in SCR, by year of diagnosis and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	15	10	16	7	12	260
Black, not Hispanic	10	5	*	9	8	101
Hispanic	0	0	0	*	*	11
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	*	0	0	0	1
Unknown/Multiple Race	0	0	0	0	0	0
Total	25	16	20	17	23	373

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**HIV/AIDS cases among persons in SCR, by year of diagnosis and age at diagnosis**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	1
13-14	0	0	0	0	0	0
15-24	*	0	*	0	*	40
25-34	7	5	*	*	10	139
35-44	9	7	8	9	6	116
45-54	*	*	6	*	*	55
55-64	*	0	*	*	*	18
>=65	*	0	0	0	0	4
Total	25	16	20	17	23	373

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV/AIDS cases among persons in SCR, by year of diagnosis and exposure category**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	7	9	11	*	7	156
Injection drug use (IDU)	*	*	0	*	*	58
Male-to-male sex and IDU	*	0	0	*	*	22
Heterosexual contact	10	*	5	*	*	76
Mother with/at risk for HIV	0	0	0	0	0	1
Other/unknown	*	*	*	5	8	60
Total	25	16	20	17	23	373

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**AIDS cases among persons in SCR, by year of diagnosis and sex**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	9	10	10	10	12	192
Females	8	*	*	8	5	53
Total	17	13	14	18	17	245

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown sex.

**Epi Profile**  
**AIDS cases among persons in SCR, by year of diagnosis and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	11	7	12	9	8	176
Black, not Hispanic	6	5	*	7	7	61
Hispanic	0	0	0	*	*	7
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	*	0	0	0	1
Unknown/Multiple Race	0	0	0	0	0	0
Total	17	13	14	18	17	245

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in SCR, by year of diagnosis and age at diagnosis**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	1
13-14	0	0	0	0	0	0
15-24	*	0	0	*	*	13
25-34	5	5	*	*	*	94
35-44	*	6	6	10	*	78
45-54	*	*	6	*	5	39
55-64	*	0	0	*	*	16
>=65	*	0	0	0	*	4
Total	17	13	14	18	17	245

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown age.

**Epi Profile**  
**AIDS cases among persons in SCR, by year of diagnosis and exposure category**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	*	6	8	6	5	117
Injection drug use (IDU)	*	*	0	*	*	35
Male-to-male sex and IDU	*	0	*	*	*	15
Heterosexual contact	7	*	*	*	*	41
Mother with/at risk for HIV	0	0	0	0	0	1
Other/unknown	*	*	*	5	5	36
Total	17	13	14	18	17	245

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in SCR, by year and sex**

	2000	2001	2002	2003	2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	137	144	152	154	170
Females	65	65	66	71	73
Total	202	209	218	225	243

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in SCR, by year and race/ethnicity**

	2000	2001	2002	2003	2004
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	132	135	143	143	153
Black, not Hispanic	63	66	67	73	79
Hispanic	7	7	7	8	10
Asian/Pacific Islander	0	0	0	0	0
American Indian/Alaska Native	0	*	*	*	*
Unknown/Multiple Race	0	0	0	0	0
Total	202	209	218	225	243

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in SCR, by year and current age**

	2000	2001	2002	2003	2004
Current age (yrs)	No.	No.	No.	No.	No.
<13	0	0	0	0	0
13-14	*	*	*	0	0
15-24	*	*	*	*	5
25-34	31	32	32	34	44
35-44	80	80	81	84	86
45-54	62	67	72	74	78
55-64	18	19	20	21	21
>=65	9	9	9	9	9
Total	202	209	218	225	243

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in SCR, by year and exposure category**

	2000	2001	2002	2003	2004
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	74	80	88	87	92
Injection drug use (IDU)	39	39	37	39	40
Male-to-male sex and IDU	10	9	9	10	13
Heterosexual contact	47	50	53	55	59
Mother with/at risk for HIV	*	*	*	0	0
Other/unknown	31	30	30	34	39
Total	202	209	218	225	243

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in SCR, by year of death and sex**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	5	5	6	6	*	103
Females	*	*	5	*	*	27
Total	8	9	11	10	5	130

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in SCR, by year of death and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	5	7	8	7	*	107
Black, not Hispanic	*	*	*	*	*	22
Hispanic	0	0	0	0	*	1
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	8	9	11	10	5	130

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in SCR, by year of death and age at death**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	0
13-14	0	0	0	*	0	1
15-24	0	0	0	0	0	2
25-34	*	*	*	*	0	45
35-44	*	*	6	*	*	*
45-54	*	*	*	*	*	23
55-64	*	0	0	*	*	9
>=65	0	0	0	0	0	3
Total	8	9	11	10	5	130

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in SCR, by year of death and exposure category**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	*	*	*	*	*	64
Injection drug use (IDU)	*	*	*	*	0	18
Male-to-male sex and IDU	*	*	0	0	0	9
Heterosexual contact	*	*	*	*	0	17
Mother with/at risk for HIV	0	0	0	*	0	1
Other/unknown	0	*	*	*	*	21
<b>Total</b>	<b>8</b>	<b>9</b>	<b>11</b>	<b>10</b>	<b>5</b>	<b>130</b>

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.